



Yuasa Technisches Datenblatt

Yuasa HJ-S46B24L(S) - Hilfs-, Backup- und Spezialbatterie

Leistung

Spannung 12V
 Kapazität 20 Std (vorgegeben) 45Ah
 Kaltstartstrom (A) EN1 325A

Abmessungen

Länge 238mm
 Breite 126mm
 Höhe 227mm

Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure 12.7kg



Gehäuseeigenschaften

Gehäusotyp B24 JIS AGM
 Batteriehalter N
 Tragegriffe ✓
 Semi Traktionseigenschaften ✓
 Deckeltyp VRLA


Technologie

Flammschutz Technologie ✓
 Adskiller Ca/Ca VRLA
 Empfohlener Ladestrom AGMSORTIMENT
 Performance Marking 3A
 W5-C2-V2-E2

Anschlusspol Typ

T1


Standard DIN Post



Positive Terminal

Negative Terminal

Zellenanordnung



Batteriehalter



Datenblatt erstellt am 01/04/2025 - E&EO





Yuasa Technical Data Sheet

Yuasa HJ-S46B24L(S) - Auxilliary, Backup & Specialist Batteries

Performance

Voltage	12V
Capacity (20-hour)	45Ah
Cold Cranking Amps (EN1)	325A

Dimensions

Length	238mm
Width	126mm
Height	227mm

Weights & Measures

Mean Weight with Acid	12.7kg
-----------------------	--------



Container Features

Case Type	B24 JIS AGM
Hold Down	N
Handles	✓
Semi-Traction Features	✓
Lid Type	VRLA


Technology

Flame Arrestor Technology	✓
Separator	Ca/Ca VRLA AGM
Recommended Charge Rate	3A
Performance Marking	W5-C2-V2-E2

Terminal Type

T1


Standard DIN Post



Positive Terminal

Negative Terminal

Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 01/04/2025 - E&OE