



Yuasa Technisches Datenblatt

Yuasa YBX3115 - YBX3000 SMF Batterien

Leistung

Spannung	12V
Kapazität 20 Std (vorgegeben)	85Ah
Kaltstartstrom (A) EN1	760A

Abmessungen

Länge	317mm
Breite	175mm
Höhe	190mm

Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure	19.8kg
--	--------



Gehäuseeigenschaften

Gehäusotyp	L4
Batteriehälter	B3
Ladezustandsanzeige	✓
Tragegriffe	✓
Deckeltyp	SMF doppelwandige Deckelkonstruktion


Technologie

Technologie	Ca/Ca
Adskiller	PE
Empfohlener Ladestrom	4A
Performance Marking	W4-C2-V3-E1

Anschlusspol Typ

T1


Standard DIN Post



Positive Terminal

Negative Terminal


Zellenanordnung



0

Batteriehälter

B3



Datenblatt erstellt am 31/03/2025 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX3115 - YBX3000 SMF Batteries

Performance

Voltage	12V
Capacity (20-hour)	85Ah
Cold Cranking Amps (EN1)	760A

Dimensions

Length	317mm
Width	175mm
Height	190mm

Weights & Measures

Mean Weight with Acid	19.8kg
-----------------------	--------



Container Features

Case Type	L4
Hold Down	B3
State of Charge Indicator	✓
Handles	✓
Lid Type	SMF Double Lid

Technology

Technology	Ca/Ca
Separator	PE
Recommended Charge Rate	4A
Performance Marking	W4-C2-V3-E1

Terminal Type

T1


Standard DIN Post




Positive Terminal

Negative Terminal

Cell Assembly Layout



B3



Data Sheet generated on 31/03/2025 - E&OE